

ACCESSION NR: AP4034807

ASSOCIATION: none

SUBMITTED: 19Nov63

DATE ACQ: 20May64

ENCL: 00

SUB CODE: PH, LS

NO REF SOV: 007

OTHER: 004

Card 3/3

L 23995-66 FSS-2/EWT(1)/EEC(k)-2/ENA(d) SCTB TT/ED/RD/GW

ACC NR: AT6003859 SOURCE CODE: UR/2865/65/004/000/0248/0260

AUTHOR: Antipov, V. V.; Delone, N. L.; Perfenov, G. P.; Vysotskiy, V. G.

ORG: none

TITLE: Results of biologic experiments conducted under flight conditions in the "Vostok" spaceships with participation of the astronauts A. G. Nikolayev, P. R. Popovich and V. G. Vysotskiy ~~***~~

SOURCE: AN SSSR. Otdeleniye biologicheskikh nauk. Problemy kosmicheskoy biologii, v. 4, 1965, 248-260

TOPIC TAGS: experiment animal, space biologic experiment, biologic acceleration effect, radiation biologic effect, space biology, biologic mutation

ABSTRACT: The effect of motion, weightlessness and cosmic radiation on propagation, growth and development of organisms was studied in *Drosophila melanogaster* and *Tradescantia paludosa*. Male and female flies were placed into separate glass tubes 6 hours before start of flight and were fed agar agar and sugar. During flight the two sexes were put into one glass. On the next flight the progeny from eggs laid during weightlessness was taken along under the same conditions. The

Card 1/2

L 23995-66

ACC NR: AT6003859

2

flies emerged from the cocoons 6 days later than controls, probably due to the cooler climate in the space cabin. More females than males emerged, the weight of the test flies was lower (due probably to the high agar content of the diet) and 4 anomalies were seen in 482 flies, involving only one half of the body. No mutants were seen. It is concluded that results were normal for the 4 days' flight, but that these findings have only qualitative value. Similar arrangements were made for observing propagation of the plants during flight. Cuttings of raceme of Tradescantia clone were put into a container, to be fixated by the astronauts 6 and 9 hours respectively after the start of the two flights. Cytologic analysis showed chromosome aberration, disturbance of mitosis and growth processes, and altogether 4 types of disturbances involving the nucleus and the mechanism of mitosis. These disturbances are ascribed mainly to motion, since the radiation dose was very low (40-80 millirad). Orig. art. has: 7 figures.

SUB CODE: 06,21/SUBM DATE: none/ ORIG REF: 006

→ [ADD CLUE WORD

Vostok 3

12

Vostok 4

12

Card 2/2 *dw*

L 11245-66 PDB=2/MWT(1)/EWA(j)/PB(v)=3/ERN(k)=2/EWA(d)/T/EWA(h)=2 SCTR TT/ID/JK/BD,
ACC NR: AT6003860 GW SOURCE CODE: UR/2865/65/004/000/0261/0269

AUTHOR: Zhukov-Verezhnikov, N. N.; Rybakov, N. I.; Kozlov, V. A.; Sakonov, P. P.;
Dobrov, N. N.; Antipov, V. V.; Podoplatov, I. I.; Parfenov, G. P. 75
71

ORG: none

TITLE: Results of microbiological and cytological investigations conducted
during the flights of "Vostok" type vehicles 77

SOURCE: AN SSSR. Otdeleniye biologicheskikh nauk. Problemy kosmicheskoy biologii,
v. 4, 1965, 261-269

TOPIC TAGS: bacteria, genetics, bacterial genetics, gamma irradiation, cobalt,
radioisotope, microbiology, cytology, space biologic experiment, radiation
biologic effect, biologic vibration effect

ABSTRACT: The biological objects used for space research are carefully selected
genetic indicators. E. coli K-12 (λ), frequently chosen for these experi-
ments, is a reliable biological dosimeter of the genetic effectiveness of
spaceflight factors. When normal and cancerous human cells were exposed
in the Vostok series, it was found that these experimental samples did not
differ essentially from control samples kept on earth. However, some
tendency to intensification of phage production was observed in cultures.

Card 1/3

2

L 14245-66

ACC NR: AT6003860

of E. coli in this series (an increase by a factor of 1.2 on Vostok-2, 4.6 on Vostok-3, and 1.96 on Vostok-4). Data from repeated exposure of the same biological object indicate accumulation of the spaceflight effect, although the character of this accumulation is not clear. In a comparison of the results of Vostoks 3-6, it was not possible to establish a linear dependence of biological effect on time of exposure in space. However, factors causing a genetic effect (an increase in the phage-producing activity of a lysogenic culture) definitely operated during these flights.

The following derived values of induced phage production were calculated: ~3 for Vostoks 3 and 5 (corresponding to the inducing effect of 3.2 rad of gamma-rays), and 1.8 for Vostoks 4 and 6 (corresponding to 0.8 rad of gamma-rays). Since the doses quoted are higher than those encountered in spaceflight, the observed genetic effect must therefore be partially due to other factors (such as weightlessness, acceleration, vibration, etc.).

To study the operation of one of these factors, E. coli K-12 was subjected to vibrations of 18, 35, 75, 100, and 700 cps for 15—30 min. and, in another series of experiments, to vibration in combination with Co^{60}

Card 2/3

L 14245-66

ACC NR: AT6003860

gamma-irradiation (dose, 100 rad; dose power, 21 rad/min). The experimental results show that vibration alone does not induce phage production but does increase the sensitivity of lysogenic bacteria to the subsequent influence of gamma-irradiation. It is suggested that vibration helps sensitize cells of a lysogenic culture to the influence of cosmic radiation, although it is also possible that the cause of genetic changes is weightlessness in combination with radiation. Orig. art. has: 1 figure and 4 tables.
[ATD PRESS: 4091-F]

SUB CODE: 06 / SUBM DATE: none / ORIG REF: 009 / OTH REF: 002

FW
Card 3/3

ACC NR: AT6036563

SOURCE CODE: UR/0000/66/000/000/0172/0173

AUTHOR: Zhukov-Verezhnikov, N. N.; Mayskiy, I. N.; Tribulev, G. P.; Rybakov, N. I.;
Podoplelov, I. I.; Dobrov, N. N.; Antipov, V. V.; Kozlov, V. A.; Saksonov, P. P.;
Parfenov, G. P.; Sharyy, N. I.

ORG: none

TITLE: Some results and trends in the study of the biological effect of cosmic radiation and dynamic flight factors using microbiological and cytological models [Paper presented at the Conference on Problems of Space Medicine held in Moscow from 24 to 27 May 1966]

SCURCE: Konferentsiya po problemam kosmicheskoy meditsiny, 1966. Problemy kosmicheskoy meditsiny. (Problems of space medicine); materialy konferentsii, Moscow, 1966, 172-173

TOPIC TAGS: manned space flight, space biologic experiment, tissue culture, lysogenic bacteria, cosmic radiation biologic effect, combined stress/Voskhod-1

ABSTRACT: Systems of lysogenic bacteria and single layer cultures of normal and cancer cells of man have been used on all spaceflights since the second orbital spaceship. This report presents the results of investigations performed on spaceships of the Vostok and Voskhod types. Biological experiments carried out on Vostok-3, -4, -5, and -6 indicate that phage production of lysogenic culture of E. coli K-12 increases with the duration of the flight. However, a direct linear relationship between the biological

Cord 1/3

AEC NR: AT6036563

effect and the time of exposure in space was not established. The results obtained make it possible to assume that the biological effect in the above experiments depends on the combined effect of spaceflight factors, and specifically vibration, weightlessness, and radiation.

Ground experiments have indicated that the sensitivity of a lysogenic bacteria system to gamma irradiation (CO^{60}) increases if the bacteria were previously exposed to vibration. These results not only confirm this supposition but make a more differentiated approach to evaluation of various spaceflight factors possible. However, in order to obtain a more complete picture of the genetic and radiation hazard of such flights, it is necessary to consider data obtained with more highly organized biological objects. Consequently, the results of spaceflight experiments performed with single-layer cultures of somatic human cells are of definite interest. In the series of experiments carried out on Vostok-1, -2, and -4, it was found that viability, and such indices as the coefficient of proliferation, the percentage of dead cells, and the morphological, antigenic, and cultural properties of the tissues, did not differ substantially from controls which were kept at the cosmodrome or the laboratory.

Card 2/3

ACC NR: AT6036563

However, when tissues were subjected to a second spaceflight (on Vostok-4, Vostok-6, and Voskhod-1), the twice-flown tissues showed a definite prolongation in the latent period of the ability to grow, as well as certain other noticeable changes. This makes it possible to surmise that spaceflight factors may have a cumulative effect on human tissue cultures. Further investigations of the biological effects of spaceflight utilizing lysogenic bacteria and tissues of various cultures are contemplated. [W.A. No. 22; ATD Report 66-116]

SUB CODE: 06, 22 / SUBM DATE: 00May66

Cord 3/3

ANTIPOV, V.V.; DELONE, N.L.; PARFENOV, G.P.; VYSOTSKIY, V.G.

Results of biological tests during the flight on "Vostok" ships
with the participation of the astronauts. Probl. kosm. biol.
4:248-260 '65. (MIRA 18:9)

ZHUKOV-VEREZHNIKOV, N.N.; RYBAKOV, N.I.; KOZLOV, V.A.; SAKSONOV, P.P.;
DOBROV, N.N.; ANTIPOV, V.V.; PODOPLELOV, I.I.; PARFENOV, G.P.

Summary of microbiological and cytochemical studies on "Vostok"
spaceships. Probl. kosm. biol. 4:261-269 '65. (MIRA 18:9)

L 1963-66 ENT(1)/FS(v)-3 DD

ACCESSION NR: AP5021258

UR/0293/65/003/004/0643/0651
629.198.621

27
3

AUTHOR: Parfenov, G. P.

TITLE: The development of dominant lethality in fruit flies exposed to vibration, acceleration, and gamma radiation

SCURCE: Kosmicheskiye issledovaniya, v. 3, no. 4, 1965, 643-651

TOPIC TAGS: combined stress, vibration, acceleration, gamma radiation, biological effect, fruit fly, genetics

ABSTRACT: The combined and individual effects of vibration, acceleration, and gamma radiation on fruit flies were studied using Domodedovo-18 and -32 strains. The vibration tests were conducted on Domodedovo-18 flies because of their high spontaneous mutability relative to recessive lethals in the sex chromosome and dominant lethals. Domodedovo-32 flies were used for acceleration tests because of their low mutability in this respect. In each test, one thousand males were mated to the same number of virgin females 1 hr after exposure to a stress. The eggs of these females were subsequently collected and examined for lethality. For vibration tests, flies were placed in clean test tubes and for exposure to acceleration, in a biochemical cen-

Cnd 1/3

1 1963-66

ACCESSION NR: AP5021258

trifuge with an arm radius of 15 cm. The angular velocity was 500—5000 rpm which corresponded to 40 g and 4000 g with a 20-min exposure duration. Irradiation took place in gelatin capsules, and the dose of Co⁶⁰ gamma rays was 500 r (325—385 r/min). The following series of tests were conducted: 1) 70 cps vibration (0.4-mm amplitude) with a 24-hr break between two 15-min exposures; 2) 1500 cps vibration with a 60-min break between two 15-min exposures; 3) 70 cps vibration for 4 hr; 4) 70 cps vibration for 2 hr followed by irradiation; 5) the same test with reversed stress order; 6) the same experiments with acceleration and irradiation. In combined stress tests, controls were exposed to individual factors under identical conditions. In addition, biological controls were used as an index. There was a 1-hr break between exposures in combined stress tests. It was found that various vibration frequencies did not injure the mature sperm of fruit flies. Egg lethality following exposure to vibration was attributed to lowered male sexual activity. Vibration with a frequency of 70 cps for 2 hr or longer caused injury during the spermatid phase resulting in zygote lethality after fertilization. Regardless of the sequence, the total effect of vibration combined with gamma radiation did not exceed the sum of each of the individual stressors. Likewise, when radiation preceded vibration, the total effect was equal to the sum of the individual effects. When the order was reversed, vibration was found to intensify the mutagenic effect of radiation. Exposure to 40 g for 20 min did not have a mutagenic effect or influence the radiation effect. A higher

Card 2/3

L 1963-66

ACCESSION NR: AP5021258

magnitude of acceleration (4000 g for 20 min) did not affect the spermatids but did affect mature germ cells. The effect was analagous to that of 200—250 r of gamma rays. The mechanism of the cellular effect of 4000 g was probably nonnuclear. Radiation followed by acceleration (4000 g) had a total effect equal to the sum of the individual effects. When the order was reversed, the radiation effect was modified. The data from all of the tests are well tabulated in the original article. Orig. art. has: 7 tables. [CD]

ASSOCIATION: none

SUBMITTED: 29Dec63

ENCL: 00

SUB CODE: LS

NO REF SOV: 008

OTHER: 003

ATD PRESS: 415

Card 3/3

PARFENOV, G. S.

"The Inhibition of a Solution of Iron and Copper in Nitric Acid."
Sub 18 Jun 51, Moscow State Pedagogical Institute V. I. Lenin.

Dissertations presented for science and engineering degrees in
Moscow during 1951.

SO: Sum. No. 480, 2 May 55

BALEZIN, S. A., PARFENOV, G. S.

Copper

Retardation of solution of copper in nitric acid. Dokl. AN SSSR, 85, No. 1, 1952.

9. Monthly List of Russian Accessions. Library of Congress, November 1952, 2 Uncl.

PARFENOV, Grigoriy Stepanovich; BALEZINA, S.S., 1961., red.,
METEL'SKAYA, G.S., red.

[Examples and problems in physical chemistry] Sbornik
primerov i zadach po fizicheskoi khimii. Moskva, Prosve-
shchenie, 1965. 210 p. (MIRA 18:3)

PARFENOV, G. S., BALEZIN, S. A.

Nitric Acid

Retardation of solution of copper in nitric acid. Dokl. AN SSSR 85, No. 1, 1955.

Monthly List of Russian Accessions, Library of Congress
November 1952. UNCLASSIFIED.

Parfenov, G. S.

USSR.

The inhibition of the solution of copper in nitric acid. S. A. Belenin and G. S. Parfenov (V. I. Lenin State Pedagog. Inst., Moscow). Doklady Akad. Nauk S.S.S.R. 88, 183-6 (1952).—The rate of soln. of Cu in HNO₃ was detd. in the presence of inhibitors, and the mechanism of the inhibiting action was studied. The detns. were made gravimetrically and electrochemically. Na₂S, Na₂SO₃, Na₂S₂O₃, urea, thiourea, K₂Cr₂O₇, KClO₄, and H₂O₂ served as inhibitors. The HNO₃ concn., temp. and speed of stirring were varied. The results show that soln. of Cu is insignificant in concn. less than 8N and then it increases rapidly with increasing concn. The rate of soln. also increases with increasing temp. but decreases with increased stirring. The addn. of inhibitors decreases the rate of soln. and this is explained by the destruction of the HNO₃ by the inhibitor.

J. Royist Leach

PART NOV, U.S.

✓ On the Mechanism of Dissolution of Copper in Nitric Acid in the Presence of Certain Inhibitors. B. A. Balazhin and G. S. Parfenov (Zhur. Priklad. Khim., 1953, 26, (8), 795-801; in Russian; J. Appl. Chem. U.S.S.R., 1953, 26, (8), 723-726 (in English)).—B. and P. studied the dissolution of Cu in chem. pure HNO_3 by loss-in-weight tests and detn. of cathodic and anodic polarization curves. The rate of dissolution at 20° C. increased slowly with concentration up to 3N, and then increased rapidly with greater concentrations. In 3N acid, the rate increased slowly with increasing temp. up to 30° C., then more rapidly. The rate fell sharply on agitation. The potential of Cu in HNO_3 is almost independent of the acid concentration, but addn. of even small amounts of HNO_2 reduces it by ~100 mV. Addn. (5-50 m.mole/l.) of Na_2S , Na_2SO_3 , or $\text{Na}_2\text{S}_2\text{O}_4$, all inhibited the dissolution, $\text{Na}_2\text{S}_2\text{O}_4$ being most active. Urea, which decomposes HNO_2 , is a good inhibitor; it strongly increases the stationary potential on cathodic polarization, but hardly affects it in anode polarization.

Thiourea has a similar action on the rate of dissolution. The action of hydroxylamine is practically the same over the concentration range 0.2-100 m.mole/l., and it rapidly decomposes with violent evolution of gas. Both hydrazine sulphate and phenylhydrazine are strong inhibitors, but the latter is less stable in concentrated acid (owing to oxidation of the phenyl group), whereas above 1 m.mole/l. hydrazine sulphate inhibits the dissolution of Cu in even 8N acid. The addn. of hydrazine shifts the stationary potential in the negative direction, but it becomes const. at concentrations of > 5 m.mole/l., when the increase in potential in cathodic polarization almost ceases and the rate of dissolution is almost unchanged. Among oxidants, KClO_3 is a more effective inhibitor and more stable than H_2O_2 or KMnO_4 , and its effect on the electrode processes is the same as that of urea. The action of all inhibitors studied is to decompose HNO_2 , and the reduction in dissolution rate is mainly connected with inhibition of cathode processes.

—G. V. E. T.

DIFFERENTIAL C. 5

Effect of some inhibitors on the rate of solution of carbon steel in nitric acid. S. A. Dolezin and O. S. Parfenov. *Zhur. Priklad. Khim.* 27, 930-3 (1954). — The rate of corrosion k of C steel (0.18% C, 0.14% Si, 0.4% Mn, 0.027% S, 0.017% P) in HNO_3 was detd. by the loss in wt. and by the elec. potential η . As the HNO_3 concn. increases from 0.0001 to 6N, k rises to 7094 g./sq. m./hr.; and drops vertically to 3776 in 7N and finally to 52 g./sq. m./hr. in 13N acid; the max. of k corresponds to the max. in the specific elec. cond. of HNO_3 . As the concn. rises, η decreases to a min., from -120 v. in 0.0001N to -540 v. in 0.001N and then shifts to more electropos. values to -158 v. in 6N and sharply to +892 in 13N HNO_3 . At first a red-brown film and a few gas bubbles (H_2) cover the test plate; a sudden eruption of gas follows removing the film and exposing the bright surface. The cycle is repeated until complete passivation takes place. In 13N acid passivation is instant. In 1N HNO_3 k is a function of the temp. and the rate of stirring (20°) increases almost linearly (temp. coeff. 1.1-1.2). Of the inhibitors the most effective are: K_2CrO_4 , KMnO_4 , KI , KBr , KCl , Na_2S , Na_2SO_4 , $\text{Na}_2\text{S}_2\text{O}_4$, and thiourea; the 1st 2 affect the anodic processes, the others the cathodic processes. K_2CrO_4 and KMnO_4 , 5 and 10 millimoles/l., resp., reduce k to 0 and shift η from -317 to +625 and +1095, resp. (when not enough of these 2 salts is present to reduce k to 0 the corrosion is intense in spots). KCl , KBr , and KI shift η to -400; -475; and -480 v. Thiourea, 10 millimoles/l., practically stops corrosion in 1N HNO_3 , and 50 millimoles/l. in 5N. It is postulated that the first reaction is the production of H_2 which then reduces HNO_3 to N oxides and to N, whereas in the presence of thiourea, itself a reducing agent, free H_2 continues to be evolved.

I. Benecowitz

PARFENOV; G. S.

1700

✓ Effect of some inhibitors on the rate of solution of carbon
steel in nitric acid. S. A. Balezin and G. S. Parfenov.
Appl. Chem. U.S.S.R. 27, 839-76 (1954) (Eng. translation).
—See C.A. 49, 1521f. B. M. R.

1700
RM
1700

BALEZIN, Stepan Afanas'yevich; PARFENOV, Grigoriy Stepanovich;
DUKEL'SKIY, M.P., redaktor; ~~MAKHOVA, N.N.~~, tekhnicheskii redaktor

[Principles of physical and colloid chemistry] Osnovy fizicheskoi
i kolloidnoi khimii. Moskva, Gos. uchebno-pedagog. izd-vo Minister-
stva prosveshcheniia RSFSR, 1956. 367 p. (MLRA 9:7)
(Chemistry, Physical and theoretical)
(Colloids)

PARFENOV, I. S.

5(4)

PHASE I BOOK EXPLOITATION

SOV/3053

Balezin, Stepan Afanas'yevich and Grigoriy Stepanovich Parfenov.

Osnovy fizicheskoy i kolloidnoy khimii (Principles of Physical and Colloidal Chemistry) 2d ed., rev. and enl. Moscow, Uchpedgiz, 1959. 439 p.
Errata slip inserted. 20,000 copies printed.

Ed.: R.N. Savel'yeva; Tech. Ed.: N.N. Makhova.

PURPOSE: This textbook on physical and colloidal chemistry is intended for students of pedagogical institutes studying natural sciences according to the recently adopted program.

COVERAGE: The book reviews fundamental principles, theories, and laws underlying various phenomena related to physical and colloidal chemistry. The growing importance of physical chemistry as an independent branch of science is emphasized and its various aspects are dealt with in part I of the book. The authors explain the theory of states of matter, review the molecular structure of gases, liquids and solids, and explain basic laws of thermodynamics, thermochemistry, photochemistry and electrochemistry. Properties

Card 1/14

Principles of Physical (Cont.)

SOV/3053

of various solutions, electrolytes, substances serving as electrodes, adsorption, osmotic pressure, electrolysis, titration, polarization, chromatographic analysis, and the protection of metals against corrosion are also dealt with. Part II of the book is devoted to colloidal chemistry, the formation of colloid systems, optical and kinetic properties of these systems, ultramicroscopy, nephelometry, sol structure, coagulation of colloids, peptization, high molecular compounds, gelatins in biology and technology, hysteresis, syneresis, polymers, emulsions and foam. The authors express their thanks to V. Barannik, M. Goloshchapov, O. Suvorova, A. Loginov, I. Klimov, A. Tulayeva, G. Kleshcheva, and G. Kuz'mina for their useful remarks and comments which helped to prepare the present edition. There are 40 references, all Soviet.

TABLE OF CONTENTS:

Foreword to the Second Edition	2
Introduction	3
Card 2/14	

Principles of Physical (Cont.)

SOV/3053

PART 1. PHYSICAL CHEMISTRY

Ch. I. States of Matter Theory	10
A. Gaseous State	10
1. Ideal gas	10
2. Laws of gases	11
3. Equation of the ideal gas state	15
4. Universal gas constant	15
5. Practical application of the Mendeleev-Claapeyron equation	16
6. Partial pressure in gas mixtures	18
7. Kinetic-molecular theory of gases	19
8. Experimental determination of the velocity of molecules	24
9. Law of distribution of molecules on the basis of their velocity	25
10. Heat capacity of gases	26
11. Real gases	30
12. Critical state	33
13. Isothermal curves of the real gas equation	34
14. Features of the critical state of a substance	36
15. Liquefaction of gases	37

Card 3/14

Principles of Physical (Cont.)

80V/3053

B. Liquid State	
1. General characteristic of a liquid state	38
2. Surface tension	41
3. Factors affecting the surface tension	42
4. Methods of measuring the surface tension	46
5. Inner friction (viscosity) in liquids	49
6. Methods of determining the viscosity	51
7. Pressure of saturated vapor in a liquid	53
8. Heat of vaporization of a liquid	55
9. Heat capacity of liquids	56
C. Solid State	
1. Characteristic of the properties of solids	57
2. Crystal structure	58
3. Heat capacity of solids	61
Ch. II. Fundamental Laws of Chemical Thermodynamics and Thermochemistry	63
1. The topic of chemical thermodynamics	63
2. The first thermodynamic law	63

Card 4/14

Principles of Physical (Cont.)

SOV/3053

3. The second thermodynamic law	65
4. Entropy	66
5. Thermal effects of chemical reactions	70
6. Law of Hess (constant heat summation)	72
7. Dependency of thermal effects on the temperature	75
8. Thermal effect at constant pressure and at constant volume	76
9. Heat of formation	78
10. Heat of solution	79
11. Heat of neutralization	81
12. Heat of combustion	82
Ch. III. Chemical Equilibrium	84
1. Inverse reactions. Reversible reactions	84
2. Law of mass action	85
3. Displacement of chemical equilibrium	89
4. Maximum work and chemical affinity	94
5. Change in the equilibrium constant in proportion to the temperature	97
Ch. IV. Theory of the Rate of a Chemical Reaction. Catalysis.	100
1. Introduction	100

Card 5/ 14

Principles of Physical (Cont.)

30V/3053

2. Dependence of the rate of chemical reaction on the concentration	102
3. Kinetic classification of chemical reactions	103
4. Order of reactions	104
5. Influence of temperature on the rate of reaction	107
6. Effect of catalyst on the rate of a chemical reaction	110
7. Mechanism of catalyst action	115
8. Catalysts used in the chemical industry	121
Ch. V. Photochemistry	123
1. General laws of photochemical reactions	123
2. Typical photochemical reactions	127
3. Photosynthesis in plants	131
4. Ionic reactions in solutions. Reactions in crystals. Photographic process	136
5. Photochemical radiation (chemiluminescence)	141
6. Chemical effect of X-rays and Gamma rays	143
Ch. VI. Solutions of Nonelectrolytes	145
1. General characteristic of solutions	145
2. Gas mixtures	147

Card 6/14

Principles of Physical (Cont.)

SOV/3053

3. Gases dissolved in liquids	149
4. Mixtures of liquids	150
5. Composition of vapor above a liquid mixture	153
6. Distillation of mixed liquids	160
7. Solution of solids in liquids	163
8. Law of distribution and the extraction	165
9. Properties of solutions	167
10. Vapor pressure of dilute solutions	169
11. Drop in the freezing point of solutions	171
12. Rise in the boiling point of solutions	176
13. Osmotic pressure	178
14. Laws of osmotic pressure	182
Ch. VII. Solutions of Electrolytes	187
1. Deviation from laws of Van't-Hoff and Raoult in solutions of electrolytes	187
2. Principles of the theory of electrolyte dissociation	188
3. Application of the mass action law to electrolytes	192
4. Electrical conductivity of solutions	194

Card 7/14

Principles of Physical (Cont.)

SOV/3053

5. Specific electrical conductivity	195
6. Equivalent electrical conductivity	198
7. Measuring the electrical conductivity of electrolyte solutions	200
8. Law of independance of ion motion	202
9. Practical utilization of electrical conductivity	205
10. Hydration and solvation of ions in solutions	209
11. Theory of strong electrolytes	211
Ch. VIII. Active Reaction of Aqueous Solutions	216
1. Water as electrolyte	216
2. pH	217
3. Active and analytical acidity	220
4. Indicators	221
5. Buffer mixtures	223
6. Colorimetric method of determining pH	227
7. Hydrolysis of salts	229
Ch. IX. Electromotive Forces	232
1. Galvanic cell	232
2. Galvanic cell theory	233

Card 8/14

Principles of Physical Chemistry

SOV/3053

2. Characteristic of sorption phenomena	284
3. Adsorption at the phase boundary between solids and gas	285
4. Adsorption isotherms	289
5. Adsorption at the phase boundary between liquid and gas	293
6. Adsorption at the phase boundary between two liquids	297
7. Adsorption at the phase boundary between solid and liquid	297
8. Ionic exchange adsorption	299
9. Chromatographic analysis	302
10. Practical application of adsorption	304
PART II. COLLOIDAL CHEMISTRY	

Ch. XI. General Characteristic of Colloid Systems and Methods for Obtaining Them

1. Introduction	306
2. Theory of the colloid system formation	306
3. Dispersion systems in nature and technology	309
4. Methods for obtaining colloid systems	310
5. Dispersion method	311
6. Obtaining colloid solutions by peptization	311

Card 10/14

Principles of Physical Chemistry

SOV/3053

7. Condensation method	315
8. Method of purifying colloid solutions	318
9. Membrane equilibrium	320
Ch. XII. Optical and Kinetic Properties of Colloid Systems	321
A. Optical Properties of Colloid Systems	321
1. Scattering of light in dispersion systems	321
2. Ultramicroscopy	323
3. The electron microscope	324
4. Nephelometry	327
B. Kinetic-Molecular Properties of Colloid Systems	328
1. Brownian movement	328
2. Diffusion in sols	329
3. Osmotic pressure of sols	329
4. Sedimentation	330
Ch. XIII. Electrical Properties of Colloid Systems	335
1. Electrokinetic phenomena	335

Card 11/14

Principles of Physical (cont.)

SOV/3053

2. Electrical double layer	336
3. Sol structure	340
4. Isoelectric point	344
Ch. XIV. Coagulation of Colloids	374
1. Concept of kinetic and aggregate stability	347
2. Coagulation and sedimentation	348
3. Coagulation of colloid solution by electrolytes	349
4. Coagulation induced with a mixture of electrolytes	352
5. Reciprocal coagulation of colloid solutions	353
6. Acclimatization	354
7. Recharging of sols	355
8. Coagulation kinetics	358
9. Peptization	360
10. Soil colloids	363
Ch. XV. Solutions of High Molecular Compounds	367
1. Properties common to high molecular compounds	367
2. Structure of high molecular compounds	368
3. Molecular structure of albumen substances	373

Card 12/14

Principles of Physical (Cont.)

SOV/3053

4. Stability of solutions containing high molecular compounds	377
5. Desalting	378
6. Denaturing	380
7. Protection of sols by high molecular compounds	381
Ch. XVI. Gelatins or gels	385
1. Classification of gelatins	385
2. Methods for producing gelatins	387
3. Gelatinization	387
4. Swelling	390
5. Swelling pressure	392
6. Swelling phenomena in biology and technology	394
7. Absorption of water by gel. Hysteresis	394
8. Syneresis (contraction of gel)	395
9. Diffusion in gelatins and their electrical conductivity	397
10. Chemical reactions in gelatins	398
Ch. XVII. Polymers	404
1. Introduction	404

Card 13/14

PARFENOV, Grigoriy Stepanovich; BALEZIN, S.A., prof., red.; KHOKHLOVA,
N.G., red.; KOVALENKO, V.L., tekhn.red.

[Examples and problems in physical chemistry] Sbornik primerov
i zadach po fizicheskoi khimii. Pod red. S.A.Balezina. Moskva,
Moskva, Gos.uchebno-pedagog.izd-vo M-va prosv.RSFSR, 1960. 190 p.
(MIRA 13:11)

(Chemistry, Physical and theoretical--Problems, exercises, etc.)

VASIL'YEV, M.V., prof. doktor tekhn. nauk; FADDEYEV, B.V., kand.tekhn.nauk
PARFENOV, G.V., kand.tekhn.nauk

Review of the book by A.O.Spirovskii, M.G.Potapov and A.V.Andreev
"Transportation in open pit mines." Gor.zhur. no.4:79-80 Ap
'64. (MIRA 17:4)

VASIL'YEV, M.V.; V'YUKHINA, A.S.; DORONENKO, Ye.P.; ZEBZIYEV, K.V.,
kand. tekhn. nauk; LATS, V.M.; PARFENOV, G.V.; POPOV,
V.Ye.; TROITSKIY, D.P.; FADDEYEV, B.V.; TSVETAYEVA, Z.N.;
ZUBRILOV, L.Ye., kand. tekhn. nauk, otv. red.; MAKAROVA,
N.U., red.; PAL'MIN, M.Z., tekhn. red.

[Evaluation and the prospects of the development of the
mineral resources for ferrous metallurgy in Chelyabinsk area]
Otsenka i perspektivy razvitiia syr'evoi bazy chernoi metal-
lurgii Cheliabinskogo raiona. Sverdlovsk, AN SSSR, 1964. 67 p.
(MIRA 17:4)

PARFENOV, G.V.

Relationship between the properties and the volumetric correlation of rocks in a deposit and the cost of preparing the rock mass for being transported on belt conveyors. Trudy Inst.gor.dela UFAN SSSR no.4:81-86 '62.

(MIRA 16:5)

(Conveying machinery)

(Rocks--Transportation)

PARFENOV, G.V.

Selection of technical methods for preparing rock masses for conveyor transportation. Trudy Inst.gor.dela UFAN SSSR no.4:87-95 '62.

(MIRA 16:5)

(Conveying machinery)

(Rocks--Transportation)

ZUERILOV, L.Ye.; PARFENOV, G.V.; BOSHNYAKOV, Ye.N.; GORONOVICH, N.V.

Discussion of A.B.Patkovskii's article "Basic trends in improving technical methods and equipment for ore dressing and planning ore-dressing plants." Gor.zhur. no.1:25-27 Ja '63.

(MIRA 16:1)

1. Institut gornogo dela Ural'skogo filiala AN SSSR (for Zubrilov, Parfenov). 2. Krivorozhskiy filial Instituta gornogo dela AN UkrSSR (for Boshnyakov). 3. Nachal'nik planovogo otdela Goroblagodatskogo rudoupravleniya (for Goronovich).

(Ore dressing)

7

865/62/001/000/015/033
E028/E185

AUTHORS: Antipov, V.V., Bayevskiy, R.M., Gazenko, O.G.,
Cenin, A.M., Gyurdzian, A.A., Zhukov-Verezhnikov, N.N.,
Zhuravlev, B.A., Karpova, L.I., Parfenov, G.P.,
Seryapin, A.D., Shepelev, Ye.Ya., Yuzdovskiy, V.I.

TITLE: Some results of medical and biological investigations
in the second and third satellites

SOURCE: Problemy kosmicheskoy biologii. v.1. Ed. by
N.M.Sisakyan. Moscow, Izd-vo AN SSSR, 1962. 267-284

TEXT: The maintenance of life conditions is discussed with
special reference to the second Soviet satellite. During the
flight the proportion of oxygen in the air of the cabin could be
maintained at 21 to 24%, whereas the relative humidity rose from
37 to 47%. The temperature ranged from 16 to 19°C. Water and
food were provided together in a mixture solidified with agar, in
order to facilitate automatic dispensing in conditions of weight-
lessness. This was carried out twice daily by command signals
from Earth. Telemetric recording of the physiological parameters
of the dogs Belka and Strelka during space flight showed the
Card 1/2

bits of medical ...

S/365/62/001/000/015/033
E028/E185

7

... of tachycardia as a result of acceleration, noise and ... there was also a rise in the respiration rate: a return to pre-flight values occurred during the condition of ... Movements of the animals were observed by ... cameras and also by potentiometric sensors mounted in ... No abnormalities were observed in the behavior of ... after return to earth or during the following 3 months. ... concluded from the experiments carried out in the second ... that dogs could readily be accustomed to space flight ... Genetic changes were noted in the progeny of ... myocytes, plant seeds and fruit flies after return from space ... The third space satellite contained two dogs (Pchelka ... two guineapigs, two rats, twenty six mice, fruit flies, ... and other biological materials which were included in order to study the effects of cosmic radiation. The results are not described.

02117

PARFENOV, G.P. (Moskva)

Space biology, a new science. Biol.v shkole no.4:78-85 J1-Ag
'62. (MIRA 15:12)
(Space biology)

FARFENOV, G.V.

Using conveyor haulage in ore pits. Trudy Gor.-geol. inst. UFAN
SSSR no.57:17-22 '61. (MIRA 15:3)
(Conveying machinery) (Strip mining)

FADDEYEV, B.V., VASIL'YEV, M.V., PARFENOV, G.V., CHEKMENEV, A.M.

Use of conveyer haulage in the Second Kachkanar Mining and Ore
Dressing Combine. Trudy Gor.-geol. inst. UFAI SSSR no. 49:39-48
'60. (MIRA 13:8)

(Kachkanar—Mine haulage)
(Conveying machinery)

PARFENOV, G.V.

Stone hammer with a handle hole from Nizhniy Komсомol'sk in
Tashkent Province. Izv.AN Uz.SSR no.6:111-112 '56. (MIRA 14:5)
(Chirchik—Stone age)

VASIL'YEV, M.V., PARFENOV, G.V., FADEYEV, Ye.A.

Use of combined truck and conveyer haulage at the Second Kash-
kanar Mining and Ore Dressing Combine. Trudy Gor.-geol. inst.
UFAN SSSR no.49:49-60 '60. (MIRA 13:8)
(Kachkanar--Mine haulage)
(Ore dressing)

PARFENOV, G.V.

Verifying the efficiency of short-delay blasting in burden
removal benching at the Korkino opencut mine. Trudy Gor.-geol.
inst. UFAN SSSR no.41:211-219 '59. (MIRA 13:5)
(Chelyabinsk Basin--Strip mining)

PARFENOV, G.V.; PUCHKOV, Ya.M.

Effect of some factors on the efficiency of blasting en masse
in the pits of the Bakal Mining Administration. Trudy Gor.-geol.
inst. UFAN SSSR no.34:103-106 '58. (MIRA 14:10)
(Bakal region—Strip mining)
(Blasting)

PUCHKOV, Ya.M.; PARFENOV, G.V.

Boring and blasting in the pits of the Bakal Mining Administration.
Trudy Gor.-geol. inst. UFAN SSSR, no.34:107-113 '58. (MIRA 14:10)
(Bakal region--Boring)
(Blasting)

PARFENOV, I.

Control over the size of stocks is an important task of State
Bank institutions. Den. 1 kred. 13 no. 1:48-49 Ja '55.

(MIRA 8:2)

(Kaluga Province--Bank and banking)(Kaluga Province--
Industries)

KAZAKOV, Ye.I.; MALASHENKO, I.P.; TYAZHELOVA, A.A.; PARFENOV, I.A.;
KARZHAVINA, N.A.

Effect of high rate heating and of the process temperature on
the composition of coal tar in the thermal decomposition of
Moscow Basin coal. Energotekh.ispol'.topl. no.1:131-138 '60.
(MIRA13:10)

(Coal-tar products)

PARFENOV, I.A., kand.tekhn.nauk

New textbook on railroad electrification to be used in institutions
of higher learning ("Electric railroads" by V.E. Rozenfel'd and others.
Zhel. dor. transp. 40 no.5:93-95 My '58. (MIRA 11:6)
(Electric railroads)
(Rozenfel'd, V.E.)

PARFENOV, I.A., dotsent; SAL'NIKOV, I.S., dotsent

"Operation and maintenance of the rooling stock of electric
railroads" by O.F. Gornov and others. Reviewed by I.A.

Zhel.-dor.transp. 43 no.9:94-96 S '1. (MIRA 14:8)

(Electric railroads—Rolling stock)

(Gornov, O.F.)

PARFENOV, I.A.; SOKOLOVA, N.V., tekhn. red.

[Review and analysis of the practices in the utilization of heat pumps] Obzor i analiz opyta po primeneniiu teplovogo nasosa. Moskva, Vses. in-t nauchnoi i tekhn. informatsii, 1961. 78 p.

(MIRA 14:9)

(Heat pumps)

SARKISOV, A.Kh., prof.; DZHIKAVYAN, Kh.A., kand. vet. nauk; AKULOVA, V.P., kand. vet. nauk; PARFENOV, I.S.; D'YAKONOVA, Ye.V., mladshiy nauchnyy sotrudnik; FAYNSHTEYN, B.B., inzh.-khimik; PAVLOV, A.A.

Use of biovetin in veterinary medicine. Veterinariia 36 no.11:
64-71 N '59 (MIRA 13:3)

1. Vsesoyuznyy institut eksperimental'noy veterinarii (for Sarkisov, Dzhilavyan, Akulova, Parfenov, D'yakonova). 2. Moskovskiy khimiko-farmatsevticheskiy zavod imeni Karpova (for Faynshteyn). 3. Zaveduyushchiy eksperimental'nyy tsekhom Moskovskogo khimiko-farmatsevticheskogo zavoda imeni Karpova (for Pavlov).
(Veterinary medicine) (Aureomycin)

~~PARFENOV, I.S.~~

Tetracycline preparations as therapy and prophylaxis for paratyphoid in baby pigs. Trudy VIEV 26:250-264 '62. (MIRA 16:2)

1. Laboratoriya antibiotikov Vsesoyuznogo instituta eksperimental'noy veterinarii.

(Swine—Diseases and pests) (Paratyphoid fever)
(Tetracycline)

1. LISTVIN, V. S. - PARFENOV, K. A., ENGS.
2. USSR (600)
4. Condensers (Electricity)
7. Distribution of condensers in an electric power network. From.energ. 9 No. 12, 1952

9. Monthly List of Russian Accessions, Library of Congress, March 1953, Unclassified.

1-4K Penov, 1-4.

BRNESHEVICH, I.I., kandidat tekhnicheskikh nauk; BOGIN, N.M., kandidat tekhnicheskikh nauk; BYKOV, Ye.I., inzhener; VLASOV, I.I., kandidat tekhnicheskikh nauk; GRITSEVSKIY, M.Ye., inzhener; GHURER, L.O., inzhener; GURVICH, V.G., inzhener; DAVYDOV, V.N., inzhener; YER-SHOV, I.M., kandidat tekhnicheskikh nauk; ZASORIN, S.N., kandidat tekhnicheskikh nauk; IVANOV, I.I., kandidat tekhnicheskikh nauk; KRAUKLIS, A.A., inzhener; KROTOV, L.B., inzhener; LAPIN, V.B., inzhener; LASTOVSKIY, V.P., dotsent; LATUNIN, N.I., inzhener; MARKVARDT, K.G., professor, doktor tekhnicheskikh nauk; MAKHAYLOV, M.I., professor, doktor tekhnicheskikh nauk; NIKANOROV, V.A., inzhener; OSACHKOV, K.N., inzhener; OKHOSHIN, L.I., inzhener; ~~PARFENOV, K.A.~~ dotsent, kandidat tekhnicheskikh nauk; PERTSOVSKIY, L.M., inzhener; POPOV, I.P., inzhener; PORSHNEV, B.G., inzhener; RATNER, M.P., inzhener; ROSSIYEVSKIY, G.I., dotsent, kandidat tekhnicheskikh nauk; RYKOV, I.I., kandidat tekhnicheskikh nauk; RYSHKOVSKIY, I.Ya., dotsent, kandidat tekhnicheskikh nauk; RYABKOV, A.Ya., professor [deceased]; TAGER, S.A., kandidat tekhnicheskikh nauk; KHAZEN, M.M., professor, doktor tekhnicheskikh nauk; CHERNYSHEV, M.A., doktor tekhnicheskikh nauk; EULIN, L.Ye., professor, doktor tekhnicheskikh nauk; YURENEV, B.N., dotsent; AKSENOV, I.Ya., dotsent, kandidat tekhnicheskikh nauk; ARKANGELSKIY, A.S., inzhener; BARTENEV, P.V., professor, doktor tekhnicheskikh nauk; BERNGARD, K.A., kandidat tekhnicheskikh nauk; BOROVOY, L.Ye., dotsent, kandidat tekhnicheskikh nauk; BOGDANOV, I.A., inzhener; BOGDANOV, N.K., kandidat tekhnicheskikh nauk; VINNICENKO, N.G., dotsent, kandidat ekonomicheskikh nauk;
(Continued on next card)

RENESHEVICH, I.I.----(continued) Card 2.

VASIL'YEV, V.P.; GONCHAROV, N.G., inzhener; DERIBAS, A.T., inzhener;
 DOBROSEL'SKIY, E.M., dotsent, kandidat tekhnicheskikh nauk; DLUGACH,
 B.A., kandidat tekhnicheskikh nauk; YAKIMOV, G.P., kandidat tekhnicheskikh nauk;
 ZEMBLINOV, S.V., professor, doktor tekhnicheskikh nauk; ZABELLO, M.L., kandidat tekhnicheskikh nauk; IL'IN, K.P., kandidat tekhnicheskikh nauk; LARZETNIKOV, A.D., kandidat tekhnicheskikh nauk; KAPLUN, F.Sh., inzhener; KANSHIN, M.D.; KOCHNEV, P.P., professor, doktor tekhnicheskikh nauk; KOGAN, L.A., kandidat tekhnicheskikh nauk; KUCHURIN, S.F., inzhener; LEVASHOV, A.D., inzhener; MAKSIMOVICH, B.M., dotsent, kandidat tekhnicheskikh nauk; MARTYNOV, M.S., inzhener; MEDAL', G.M., inzhener; NIKITIN, V.D., professor, kandidat tekhnicheskikh nauk; PADNYA, V.A., inzhener; PANTELEYEV, P.I., kandidat tekhnicheskikh nauk; PESTROV, A.P., professor, doktor tekhnicheskikh nauk; POVOZHENKO, V.V., professor, doktor tekhnicheskikh nauk; PISTAREV, I.I., dotsent, kandidat tekhnicheskikh nauk; SERGEYEV, Ye.S., kandidat tekhnicheskikh nauk; SIMONOV, K.S., kandidat tekhnicheskikh nauk; SIMANOVSKIY, M.A., inzhener; SUYAZOV, I.G., inzhener; TALDAYEV, F.Ye., inzhener; TIKHONOV, K.K., kandidat tekhnicheskikh nauk; USILAKOV, N.Ye., inzhener; USFENSKIY, V.K., inzhener; FEL'DMAN, E.D., kandidat tekhnicheskikh nauk; FERAPONTOV, G.V., inzhener; KHOKHLOV, L.P., inzhener; CHERNOMORDIK, G.I., professor, doktor tekhnicheskikh nauk; SHAMAYEV, M.F., inzhener; SHAFIRKIN, B.I., inzhener; YAKUSHIN, S.I., inzhener; GRANOVSKIY, P.G., redaktor; TISHCHENKO, A.I., redaktor; ISAYEV, I.P., dotsent, kandidat tekhnicheskikh nauk, redaktor; KLIMOV, V.F., dotsent kandidat tekhnicheskikh

(Continued on next card)

BENESHEVICH, I.I.--- (continued) Card 3.

nauk, redaktor; MARKOV, H.V., inzhener, redaktor; KALININ, V.K., inzhener, redaktor; STEPANOV, V.N., professor, redaktor; SIDOROV, H.I., inzhener, redaktor; GERONIMUS, B.Ye., kandidat tekhnicheskikh nauk, redaktor; ROBEL', H.I., otvetstvennyy redaktor

[Technical reference manual for railroad engineers.] Tekhnicheskii spravochnik zheleznodorozhnika. Moskva, Gos. transp.zhel-dor. izd-vo. Vol.10. [Electric power supply for railroads] Energosnabzhenie zheleznnykh dorog. Otv.red. toma K.G.Markvardt. 1956. 1080 p. Vol.13. [Operation of railroads] Ekspluatatsia zheleznnykh dorog. Otv. red. toma H.I.Nobel'. 1956. 739 p. (MLRA 10:2)

1. Chlen-korrespondent Akademii nauk SSSR (for Petrov)
(Electric railroads) (Railroads--Management)

MUCHNIK, Abram Iakovlevich; PARFENOV, Konstantin Alekseyevich; Prinimal
uchastiye: PTUSHKIN, A.T., kand.tekhn.nauk.; SOKOLOV, A.Ya., prof.,
retsenzent; GLEBOV, I.A., dotsent, retsenzent; YASTREBOV, P.P.,
dotsent, retsenzent; KHMEL'NITSKAYA, A.Z., red.; DOBUZHINSKAYA,
L.V., tekhn.red.

[Electrical equipment of food industry enterprises] Elektro-
oborudovanie pishchevykh predpriyatii. Moskva, Pishcheprom-
izdat, 1958. 437 p. (MIRA 12:8)
(Food industry--Electric equipment)

MUCHNIK, A.Ya.; PARFENOV, K.A.

Use of electromechanical analogies in studying the transient thermal processes taking place in an electric bread-baking stove.
Izv. vys. ucheb. zav.; pishch. tekhn. no. 2:125-132 '58. (MIRA 11:10)

1. Moskovskiy tekhnologicheskiy institut pishchevoy promyshlennosti,
Kafedra elektrotekhniki.
(Stoves, Electric--Electromechanical analogies)

IVANOV, B.A.; PARFENOV, K.A.; MALIN, B.A.

Electrical wireless turbotachometer operating in the frequency range
below 1 Hz. Mash. i nef. obor. no.8:27-30 '65. (MIRA 18:9)

1. Groznenskiy filial Vsesoyuznogo nauchno-issledovatel'skogo i
proyektno-konstrukorskogo instituta kompleksnoy avtomatizatsii
neftyanoy i gazovoy promyshlennosti.

SOKOLOV, Aleksandr Yakovlevich, doktor tekhn. nauk, prof.;
ZHISLIN, Ya.M., kand. tekhn. nauk; KOTLYAR, L.I.,
kand. tekhn. nauk; GINZBURG, M.Ye., kand. tekhn. nauk;
FURER, G.L.; PAREENOV, K.A., kand. tekhn. nauk; RYZHOVA,
L.P., inzh., red. izd-va; MODEL', B.I., tekhn. red.

[Machines for processing grain] Mashiny dlia pererabotki
zerna. Moskva, Mashgiz, 1963. 346 p. (MIRA 16:6)

1. Glavnyy instruktor zavoda im. F.E.Dzerzhinskogo (for
Furer).

(Grain--Handling machinery)

MUCHNIK, Abram Yakovlevich; PARFENOV, Konstantin Alekseyevich;
KLYUCHEV, V.I., dots., retsenzents; MENSCHNIKOV, I.I.,
dots., retsenzents; KHEMEL'NITSKAYA, A.Z., red.;
PECHENKINA, O.P., tekhn. red.

[Electrical equipment of food industry enterprises] Elek-
trooborudovanie pishchevykh predpriyatii. Izd.2., perer.
Moskva, Pishchepromizdat, 1963. 407 p. (MIRA 17:3)

1. Kafedra elektrooborudovaniya promyshlennyykh predpriyatii
Moskovskogo energeticheskogo instituta (for Klyuchev).
2. Moskovskiy tekhnologicheskii institut myasnoy i molochnoy
promyshlennosti (for Menschikov).

MUCHNIK, Abram Yakovlevich; PARFENOV, Konstantin Alekseyevich; DREVS,
Georgiy Vecheslavovich; KHRUSTALEVA, N.I., red.; GARINA, T.D.,
tekhn. red.

[General electric engineering and electric equipment] Obshchaia
elektrotehnika i elektrooborudovanie. Moskva, Gos. izd-vo
"Vysshiaia shkola," 1961. 405 p. (MIRA 14:9)
(Electric engineering) (Electric apparatus and appliances)

CHEGOLYA, A.S.; PARFENOV, L.A.

Lamp galvanometer for electrochemical measurements. Zav. lab. 29
no. 8:1013 '63. (MIRA 16:9)

1. Saratovskiy gosudarstvennyy universitet.
(Galvanometer) (Electrochemical analysis)

L 5331-66 EWT(1)/EWT(m)/ETC/ENG(m)/T/EWP(t)/EWP(b)/EWA(m)-2 IJP(c)
 RDW/JD/GG
 ACCESSION NR: AP5021099
 AUTHOR: ^{44.55} Lushchikov, V. I.; ^{44.85} Neganov, B. S.; ^{44.85} Parfenov, L. B.; ^{44.55} Taran, Yu. V. UR/0056/65/049/002/0406/0409
 TITLE: Dynamic polarization of protons in a rotating lanthanum-magnesium nitrate crystal
 SOURCE: Zhurnal eksperimental'noy i teoreticheskoy fiziki, v. 49, no. 2, 1965, 50
 406-409 46
 TOPIC TAGS: ¹⁹ proton polarization, ^{21, 44.55} lanthanum compound, spin relaxation
 ABSTRACT: A new method of polarizing nuclei in anisotropic crystals is proposed, consisting of rotating the crystals in a stationary magnetic field and a weak radio frequency field. The method is based on the theoretical predictions of A. Abragam (Cryogenics v. 3, 42, 1963) and C. D. Jeffries (Cryogenics v. 3, 41, 1963), wherein the spin temperature is rapidly decreased via spin-spin relaxation accompanied by rapid cooling of the system. The authors verified this method with single crystal (La, Ce)₂Mg₃(NO₃)₁₂·24H₂O, and obtained an appreciable increase in polarization. The experiments were made in fields from 2 to 6 kOe at saturation frequencies from 60 to 170 Mc with the crystal rotating uniformly at 30-600 rpm. The experiments were made at 1.3K. Amplification coefficients up to ~70 were obtained. The ampli-

Card 1/2

07911083

L 5331-66

ACCESSION NR: AP5021099

fication coefficient increased with decreasing cerium concentration and with increasing sp. d. Only positive polarization was obtained. Advantages of the method are much less stringent magnetic-field uniformity and stability tolerances, and the use of radio frequencies in the meter range instead of ultrahigh frequencies. Orig. art. has: 3 figures and 2 formulas.

ASSOCIATION: Ob'yedinnennyy institut yadernykh issledovaniy (Joint Institute of Nuclear Research)

SUBMITTED: 03Mar65

ENCL: 00

SUB CODE: NP, SS

NR REF SOV: 000

OTHER: 004

Card 2/2 mid

ALPHORS: Neganov, B. S. , Parfenov, L. B.

SOV/56-34-3-46/55

TITLE: The Investigation of the Reaction $\pi^+ + d \rightarrow 2p$ in the ..
Range of Energies of the Positive Pions From 174 to 307 MeV
(Issledovaniye reaktsii $\pi^+ + d \rightarrow 2p$ v oblasti energii
 π^+ -mezonov ot 174 do 307 MeV)

PERIODICAL: Zhurnal Eksperimental'noy i Teoreticheskoy Fiziki, 1958,
Vol. 34, Nr 3, pp. 767 - 769 (USSR)

ABSTRACT: The authors investigated by means of the method of conjugat-
ed telescopes (which consisted of scintillation-counters)
the reaction $\pi^+ + d \rightarrow 2p$ with the pion energies 174; 200;
227; 262; 307 MeV. The beam of positive pions was produced
by irradiation of an hydrogen-containing target with a pro-
ton-beam of the synchrocyclotron of the United Institute for
Nuclear Research (Ob'yedinennyy institut yadernykh issle-
dovaniy). The yield of the above-mentioned reaction was de-
termined from the difference of the counting-velocities of
the twofold coincidences at the targets consisting of D₂O

Card 1/4

The Investigation of the Reaction $\pi^+ + d \rightarrow 2p$
of the Positive Pions From 174 to 307 MeV

SOV/34-56-3-46/55
in the Range of Energies

and H_2O . The results obtained by the measurements of the differential cross sections for 4 angles in the center-of-gravity system are summarized in a table. The angular distributions of the protons can be represented in the form $A + \cos^2 \theta$; the coefficients belonging to this, determined by the method of the smallest squares, are written down. The total cross sections for the reaction $p + p \rightarrow d + \pi^+$ were calculated on the basis of the principle of detailed equilibrium and in the case of proton-energies amount to 633; 690; 743; 812 and 903 MeV 3.05 ± 0.23 ; 2.50 ± 0.18 ; 1.93 ± 0.14 ; 1.33 ± 0.12 ; 0.80 ± 0.08 millibar. The dependence of the total cross section of the reaction $p + p \rightarrow d + \pi^+$ on the energy of the pions in the center-of-gravity system is demonstrated in a diagram. The data obtained here confirm the conclusions by Mesheryakov and Neganov (Reference 1) on the resonance-like character of the afore-mentioned reaction. The maximum of the excitation function is at $E_n = 135$ MeV. These results agree with the theory by Mandel'shtam (Birmingham, private communication, 1957). The angular distribution changes obviously on account of the increase of the relative influence of the transitions:

Card 2/4

The Investigation of the Reaction $\pi^+ + d \rightarrow 2p$ in the Range of Energies of the Positive Pions From 174 to 307 MeV

SOV/ 56-34 -3-46/55

${}^3P_{1,2} \rightarrow {}^3S_1$ and ${}^3F_{2,3} \rightarrow {}^3S_1$, with the energies exceeding resonance-energy. These transitions lead to the production of mesons in d-state. This assumption can be verified by polarization tests, viz. by a more extensive analysis and more accurate determination of the angular distribution with an energy of the pion of 230 MeV in the laboratory system. Then a term proportional to $\cos^4 \theta$ appears. This, from the point of the resonance-model of the production of pions with the nucleon-nucleon-collisions, signifies that the p-state of the system (which occurs prior to the irradiation of the meson in d-state) begins to play a part. The amplitude of the transition ${}^1S_0 \rightarrow {}^3S_1$ must be small in this case.

There are 1 figure, 1 table, and 7 references, 1 of which is Soviet.

ASSOCIATION: Ob"yedinennyy institut yadernykh issledovaniy
(United Institute for Nuclear Research)

Card 3/4

PARFENOV, L.B.

Polarized fluxes and polarized targets. Atom. energ. 16 no. 5:
462-463 My '64. (KIRA 17:5)

DRAGICHESKU, P. [Draghicescu, F.]; DRAGICHESKU, M. [Draghicescu, M.];
LUSHIKOV, V.I.; NEGANOV, B.S.; PARFENOV, L.B.; TARAN, Yu.B.

[Dynamic polarization of protons in lanthanum-magnesium
nitrate crystals containing neodymium] Dinamicheskaya po-
liarizatsiya protonov v kristalle lantan-magnievogo nitrata
s primes'iu neodima. Dubna, Ob"edinennyi in-t iadernykh issl.
1964. 16 p. (MIRA 17:5)

L 64956-65 EWT(1)/EWT(m)/T/EMP(t)/EMP(b) IJP(c) JD/00

ACCESSION NR: AT5009474

Z/0000/64/000/000/0266/0268/2

AUTHORS: Luschykov, V. I.; Neganov, B. S.; Parfenov, L. B.; Taran, I. V.

TITLE: The dynamic polarization of protons in a rotating crystal of lanthanum-magnesium nitrate

SOURCE: Conference on Low Temperature Physics and Techniques, 3d, Prague, 1963. Physics and techniques of low temperatures; proceedings of the conference. Prague, Publ. House of the Czechosl. Academy of Sciences, 1964, 266-268

TOPIC TAGS: cryogenics, proton polarization, lanthanum compound, nuclear spin

ABSTRACT: The dynamic polarization method first described by Abragam (Cryogenics 3 (1963), 42) and C. D. Jeffries (Cryogenics 3 (1963), 41) was used in the experiments, which were performed in

Card 1/3

L 4956-65

ACCESSION NR: AT5009474

fields from 2 to 5 kOe at saturation frequencies from 60 to 170 Mc, and for uniform rotation of the crystal in the range of 30 to 550 rpm. The experiments were carried out at ~1.3 K. The results showed that the polarization increases when the cerium content decreases from 2 to 0.2%. The temperature dependence of the amplification coefficient of the polarization is similar to that observed for the simple effect-solide. The amplification coefficient increases rapidly as the speed of the crystal rises from 30 to 100 rpm, and then decreases slowly. The polarization amplification coefficient obtained in individual experiments reached 70 for an irradiation time of 30--40 min. Higher values are expected to be obtainable by a more suitable choice of parameters. A disadvantage of the method is the need for precise adjustment of the crystal and the elimination of vibration during rotation in the magnetic field. An advantage of the method is relatively low demand for homogeneity and stability of the magnetic field and the use of meter waves instead of very high frequencies. Orig. art. has: 3 figures.

Card 2/3

L 64956-65

ACCESSION NR: AT5009474

ASSOCIATION: Ob'yedinennyy institut yadernykh issledovaniy (Joint
Institute of Nuclear Research) 44.65 3

SUBMITTED: 000064

ENCL: 00

SUB CODE: GP

NR REF SOV: 000

OTHER: 004

Clid 3/3

LUSHCHIKOV, V.I.; NEGANOV, B.S.; PARFENOV, L.B.; TARAN, Yu.V.

Dynamic polarization of protons in rotating crystals of lanthanum
magnesium nitrate. Zhur. eksp. i teor. fiz. 49 no.2:406-409 Ag
'65. (MIRA 18.9)

1. Ob'yedinennyi institut yadernykh issledovaniy.

85705

S/056/60/038/006/048/049/XX
E006/B070

24.6900 (1138, 1191, 1559)

AUTHORS: Neganzov, B. S., Parfenov, L. B., Tyapkin, A. A.

TITLE: Measurement of the Relative Nuclear Activity of Pions¹⁹ in the Vicinity of the Point of Production

PERIODICAL: Zhurnal eksperimental'noy i teoreticheskoy fiziki, 1960, Vol. 38, No. 6, pp. 1917 - 1918

TEXT: Irish research workers (Ref. 1) discovered an anomalously large scattering cross section on pions produced in $K_{\pi 2}$ decays. The value was two or three times that of the geometrical cross section. It was assumed by them that either the pions produced by K-decay were different from the ordinary ones, or the nuclear activity was anomalously large in the region of pion production. These assumptions are discussed in the introduction of the present paper, followed by a brief report of the experimental measurements. The nuclear activities of mesons were compared at distances of 2-4, 10-20, 21-23, and 105-115 cm from the point of production, the mesons being emitted at 90° by 660-Mev protons incident on carbon nuclei. The measurements

Card 1/2

Measurement of the Relative Nuclear Activity of Pions in the Vicinity of the Point of Production

85705
3/056/60/038/006/048/049/XX
B006/B070

were made by means of two telescopes each consisting of three scintillation counters. The relative change in the counting rate in the two telescopes caused by brass filters of a thickness of 17 g/cm^2 was measured. The filters were placed either in front of the first counters or behind the second in the telescope. In this manner, the nuclear absorption of mesons whose energy changed from 100 to 70 Mev in passing through the filter was determined; (this energy interval corresponds to the meson energies from $K_{\pi 2}$ decay). Only an insignificant lowering of the nuclear activity could be observed in the experiments, and was probably due to errors in measurement. There is 1 non-Soviet reference.

ASSOCIATION: Ob'yedinennyy institut yadernykh issledovaniy (Joint Institute of Nuclear Research)

SUBMITTED: April 19, 1960

Card 2/2

33161

S/120/61/000/006/035/041
E194/E485

24.5600

AUTHORS:

Goncharov, I.N., Gromova, I.I., Neganov, B.S.,
Parfenov, L.B.

TITLE:

An electromagnet with super conducting winding

PERIODICAL:

Pribery i tekhnika eksperimenta, no.6, 1961, 142-143

TEXT:

The magnet described was required to control the "thermal keys" in a cyclic refrigerator equipment used to produce extremely low temperatures by the adiabatic demagnetization of a paramagnetic salt. The coil was made of lead, which has a critical field of about 500 oersteds at a temperature of 4.2°K and 800 oersteds at 1.5°K, the critical current for the wire of section 0.5 x 1.5 mm was not less than 10 A at 4.2°K. The turns were insulated with capacitor paper treated with adhesive grade BF-2 (BF-2). For convenience of accommodating the "thermal key" between the poles, the magnet was made cylindrical, the pole diameter was 8 mm and the pole tip diameter 14 mm, the gap length was 3.2 mm. For example, with 700 turns the field strength at which super-conductivity broke down to give a p.d. of 0.05 mV was 2800 oersteds at 1.5°K with a critical current of 1.2 A. As the

Card 1/2

L 16907-63 EPR/EWT(1)/EWP(q)/EWT(m)/BDS/EPP(n)-2 AFPTC/ASD/IJP(C)/SSD
Fu-4/Ps-4 WW/JD/JG
ACCESSION NR: AP3005305 S/0056/63/045/002/0394/0396
AUTHOR: Neganov, B. S.; Parfenov, L. B.; Iushchikov, V. I.; Taran, Yu. V. 76
TITLE: Dynamic proton polarization at 0.5°K 74
SOURCE: Zhur. eksper. i teoret. fiz., v. 45, no. 2, 1963, 394-396
TOPIC TAGS: dynamic proton polarization, proton spin lattice relaxation, electron
proton resonance, lanthanum double nitrate, cerium impurity
ABSTRACT: Results are reported of preliminary experiments on dynamic proton polar-
ization (DPP) in crystals of $\text{La}_2\text{Mg}_3(\text{NO}_3)_{12} \cdot 24\text{H}_2\text{O}$ with paramagnetic cerium concen-
tration of 0.8% (relative to the lanthanum) at approximately 0.5°K; the experiments
were intended to increase the polarization and check the dependence of the proton
polarization amplification coefficient on the external magnetic field at fixed
electron proton resonance (EPR) frequency, the dependence of the amplification co-
efficient on the microwave power used to saturate the EPR, and the temperature de-
pendence of the proton spin-lattice relaxation time. The maximum positive value
of the amplification coefficient was 129 ± 10 , corresponding in a field of 3500
Gs to a proton polarization $8 \pm 0.5\%$. It was found that 1mW of microwave power
Card 1/2

L 16907-63

ACCESSION NR: AP3005305

was sufficient to obtain the maximum amplification coefficient (with resonator Q of approximately 1000). The proton spin-lattice relaxation has a time dependence in the form $T_{1n}^{-1} \sim T_{1n}^{-1.65 \pm 0.15}$ with $T_{1n} = 920 \pm 80$ sec at $T = 0.32 \pm 0.03^\circ K$.

It is therefore concluded that at temperatures below $1^\circ K$ no reduction occurs in the amplification coefficient when the temperature of the sample is substantially decreased. The use of higher magnetic fields should yield proton polarizations near 100%. "In conclusion, the authors take this opportunity to thank Prof. R. L. Shapiro for his great interest and attention to this work."

ASSOCIATION: Ob'yedinenyy institut yadernykh issledovaniy (Joint Institute of Nuclear Research)

SUBMITTED: 01 Jun 63

DATE ACQ: 06 Sep 63

ENCL: 00

SUB CODE: PH

NO REF SOV: 002

OTHER: 003

Card 2/2

PARFENOV, L.I.; KARAKULA, M.V.

Effect of cerium on the wear resistance of G13L steel. Lit.
proizv. no.10:8-9 0 '64. (MIRA 18:..

PARFENOV, L.I., inzh.

Improved design of an alloyed boiler. Khim.mashinostr. no.5:36
S-O '63. (MIRA 16:10)

PARFENOV, L.K.

Fungus diseases of the eye in the Astrakhan Province. Vestn.
oftal. 76 no.4:17-21 Jl-Ag'63 (MIRA 17:1)

1. Kafedra glaznykh bolezney (zav. - prof. N.I. Artem'yev)
Astrakhanskogo meditsinskogo instituta.

FRISCH, Yu.A.; BRZHEV, N.N., eds. Pre-Cambrian; L.M.

Relation of the Russian and foreign pre-Cambrian areas in the
Pre-Cambrian. Trudy Inst. Geol. Nauk. No. 100-101-102 '64
(1964, 1965)

PARFENOV, L.M.; SOLOV'YEV, V.A.; BOROVNIKOV, A.M.

Tectonic terminology. Geol. i geofiz. no.9:118-123 '61.
(MIRA 14:11)

1. Institut geologii i geofiziki Sibirskogo otdeleniya AN SSSR,
Novosibirsk.

(Geology, Structural--Terminology)

AFANAS'YEV, Yu.T.; BASHARIN, A.K.; DASHARINA, N.P.; VOTAKH, O.A.; SOLOV'YEV,
V.A.; KRASIL'NIKOV, B.N., *otv. red.*; PARFENOV, L.M., *otv. red.*

[Materials on tectonic terminology. Part 3..Tectonics and its division.
Terms on structural geology.] Materialy po tektonicheskoi terminologii.
Novosibirsk. Pt. 3. Tektonika i ee razdely. Terminy strukturnoi geolo-
gii. 1964. 255 p. (Its Trudy, no.34) (MIRA 18:4)

FATTOV, Yu.A.; FAPFENOV, L.M.

Spectral structure of the central part of the Eastern Sayan
Mountain. Izv. Akad. Nauk SSSR, no.5:59-64 '65.

(MIRA 13:8)

L. Institut geologii i geofiziki Sibirskogo otdeleniya AN SSSR,
Novosibirsk.

KOSYGIN, Yu.A.; BASHARIN, A.K.; BERZIN, N.A.; VOLONTEY, G.M.;
VOTAKH, O.A.; KRASIL'NIKOV, B.N.; PARFENOV, L.M.;
SHPAKOVSKAYA, L.I., red.

[Pre-Cambrian tectonics of Siberia] Dokembriiskaya tek-
tonika Sibiri. Novosibirsk, Red. izd. otdel Sibirskogo
otd-niia AN SSSR, 1964. 124 p. (MIRA 18:1)

1. Akademiya nauk SSSR. Sibirskoye otdeleniye. Institut
geologii i geofiziki. 2. Chlen-korrespondent AN SSSR
(for Kosygin).

BOGOLEPOV, K.V.; PARFENOV, L.M.

"Tectonic and genetic classification of mobile regions" by L.I.Krasnyi.
Reviewed by K.V.Bogolepov, L.M.Parfenov. Geol.i geofiz. no.1:129-133
'63. (MIRA 16:4)
(Geology, Structural) (Krasnyi, L.I.)

PARFENOV, L.M.

Tectonics of the Western Sayan Mountains. Geol. i geofiz.
no.8:117-121 '62. (MIRA 15:10)

1. Institut geologii i geofiziki Sibirskogo otdeleniya AN SSSR,
Novosibirsk.
(Sayan Mountains—Geology, Structural)

KOSYGIN, Yu.A.; BASHARIN, A.K.; BERZIN, N.A.; VOTAKH, O.A.;
KRASIL'NIKOV, B.N.; PARFENOV, L.M.

Principal in the structural elements in the Late Pre-Cambrian
of Siberia. Geol. i geofiz. no.10:68-82 '62. (MIRA 15:12)

1. Institut geologii i geofiziki Sibirskogo otdeleniya
AN SSSR, Novosibirsk.
(Siberia--Geology, Structural)

PARFENOV, L.M.; KOSYGIN, Yu.A., otv.red.; NAZARYANTS, T.M., red.;
MAZUROVA, A.F., tekhn.red.

[Materials on tectonic terminology. Part 1: Large crustal structures and geological formations] Materialy po tektonicheskoi terminologii. Chast' 1: Krupnye struktury zemnoi kory i geologicheskii formatsii. Novosibirsk, Izd-vo Sib. otd.-AN SSSR. 1961. 154 p. (Akademiia nauk SSSR. Sibirniiskoe otdelenie. Institut geologii i geofiziki. Trudy, no.12) (MIRA 16:2)

1. Chlen-korrespondent AN SSSR (for Kosygin).
(Geology, Structural-Terminology)

VOTAKH, O.A.; KOSYGIN, Yu.A.; PARFENOV, L.M.

Concerning the book "Pre-Cambrian geology and petrology. General and regional problems." Izv. AN SSSR.Ser.geol. 28 no.5:101-104
My '63. (MIRA 17:4)

1. Institut geologii i geofiziki Sibirskogo otdeleniya AN SSSR,
Novosibirsk.

PARFENOV, L.M.

Development of shift deformations in the Zhenchik suture zone
(Western Sayans). Geol. i geofiz. no. 12:130-134, '61. (MIRA 15:5)

1. Institut geologii i geofiziki Sibirskogo otdeleniya AN SSSR,
Novosibirsk.
(Sayan Mountains--Faults (Geology))